

Nederman

Always within reach

Nederman FX₂ arms for industrial, research
and educational applications



The handy solution for at-source extraction

The best way to control airborne contaminants, fume and smoke in the workplace is to remove them right at source of their creation. Nederman FX₂ arms offer unbeatable flexibility in combination with optimal efficiency and can be used in every type of environment. Multiple mounting options are available and the arms can be easily integrated with a complete Nederman filtration system.

Articulated extraction arms are the best and most cost-efficient solution for places where small extraction volumes are required within a limited area.



A wide range of applications

Nederman FX₂ extraction arms are especially suitable for applications where small, flexible and easy-to-use arms are required to eliminate smoke fumes, gases, dust, and particles. They capture the pollutants as close to the source as possible, so that a high capture rate is achieved with minimum energy use. Any hazardous airborne substances are removed before they reach the breathing zone or contaminate premises and goods.

Nederman's FX₂ arms are available in three different models to cover a wide spectrum of needs. Common application areas are, for example: laboratories, electronics industry, 3D printing, health service and pharmacies, gluing stations, museums and hair and nail salons. Our team of air filtration experts will gladly help you select the right configuration to suit your particular requirements.



Nederman FX₂ in short

- Effective fume and dust extraction
- Low noise level and high energy efficiency
- Stable positioning with easy maneuverability
- Wide range available
- Aesthetic design
- Complete freedom when planning installation
- Maximum installation flexibility

People, planet and products

Clean air is a cornerstone of sustainable production. With more than 70 years of experience in extraction and filtration of various air contaminants, Nederman is the global leader in industrial air filtration. Our goal is to protect people, planet and products from harmful effects of industrial processes. By doing that, we contribute to efficient production, environmental benefits and a safer workplace.

We deliver complete solutions that can easily be adapted to your particular needs. Our services cover everything from initial analysis and planning to installation, training, service and maintenance. We aim to continually develop our offer by adding new products and services, expanding our geographic presence and helping our customers develop their processes for sustainable production.



Scan the QR code to read our whitepaper "Improve Air Quality and Energy Efficiency by Optimizing Capture Efficiency with Nederman Articulated Extraction Arms (AEA)".

Did you know?

A sideways-positioned hood close to the bench gives you the best capture efficiency.




Flexible. Energy-efficient. Quiet.

Nederman FX₂ arms are made of lightweight anodized aluminium sections, with two or three adjustable, composite friction joints. Offering strength and durability combined with easy handling, they can be used in many types of environments. They are especially suitable for applications where small, flexible and easy-to-use arms are required.

Unique maneuverability

Nederman FX₂ arms are highly flexible, and simple to position, extend and retract. The two outermost arm joints can rotate 360°. This makes it possible to position the hood exactly where required. Once correctly positioned, the hood can be locked in place using two friction devices in the arm joints.



Optimal efficiency and low noise

The FX₂ arms were developed using computerized simulations, and the resulting highly improved airflows mean that smaller fans that consume less energy are required. Another user benefit is the reduced noise level. Depending on the airflow, this means a reduction of about 5 dB or more, when compared with similar arms on the market. Complementary Nederman products such as fans, ducting and control units can further increase energy efficiency.

Aesthetic design

The lean, smooth and aesthetic design allows Nederman FX₂ arms to fit well in any environment without compromising durability and reliability. The swivel design is optimized to ensure a slim profile and clear sight.

Thanks to the long upper arm section, the FX₂ PLUS swivel and accessories can be placed high up or above a false ceiling. It creates a modern design that easily blends in and prevents dust accumulation.





Nederman FX₂ arms for maximum flexibility

The Nederman FX₂ arms allow complete freedom when planning installation points. They can be mounted on ceilings, walls and floors or fixed to worktops.



Connection Down

Mounting options:
bench edge, floor, or any
other horizontal surface



Connection Down-Through

Mounting options:
through bench



Connection Up

Mounting options:
ceiling, wall, shelf
edge, etc.



Connection Up-PLUS

Mounting options:
ceiling, wall

Did you know?

Nederman FX₂ arms are supplied with a mini hood as standard - no extra extraction nozzle is required. The mini hood is also a universal interface for connecting to other hoods: the ergonomically designed

combi hood, the dome hood, the flange hood and the metal hood. All of them can be attached directly to the mini hood, irrespective of arm size.

A full range

Nederman FX₂ arms present the most complete offering on the market. All arms are supplied with a mounted duct connector to facilitate coupling of external ductwork to the arm. The duct connector is made of rubber and fully leak-proof. All arms are equipped with a mini hood. No extra extraction nozzle is required when working close to the source.



The Original model

A robust and reliable all-round arm for general applications where there is little risk of electrical discharges or attack by aggressive chemicals.

Available in 3 diameters:
50, 75 and 100 mm.



The ESD/EX model

The arm is made of conductive materials, eliminating the risk of static electricity and sparks. Designed for use in electronic environments where there is a risk of electrostatic discharges, the ESD/EX can also be used for certain applications in potentially explosive atmospheres.

Available in 3 diameters:
50, 75 and 100 mm.



The CHEM model

Profiles in anodized aluminium with a white electrophoretic deposition coating make the arm ideal for fume extraction in aggressive environments where corrosion resistance must be assured.

Available in 2 diameters:
75 and 100 mm.



The FX 32 arm

A compact 32 mm one-piece, self-supporting, flexible arm for low-volume bench top extraction purposes. Made of acrylonitrile butadiene styrene (ABS) with no joints.

Adapt your installation

Nederman offers you a unique possibility to adapt the arm installation to your facilities. Cut2fit extension is an aluminium profile, which can be cut at any length and assembled together with the classic bracket for mounting arms to the ceiling or wall. With our cut2fit extension profile you are free to cut the profile length, which gives you unparalleled flexibility. In addition, we also provide complementary products such as filters, fans and control equipment that further let you adapt your installation.

Nederman FX₂ arms are available in self-assembly kits, which include a fan, a filter, a fan speed controller, hoses, table bracket and connectors. No duct is needed. These kits provide a quick and convenient solution for creating a fume-free workplace.



Complete solutions that protect your workplace



Comprehensive product range

Nederman is a world-leading environmental technology company with solutions that take their origin in “capture-at-source”, i.e. extraction of contaminants right at the point of creation. We filter, clean and recycle to create eco-efficient production in demanding industrial surroundings. Our offer includes individual products, engineering design, installation, commissioning and service. By continually adding new skills and solutions and expanding our geographic presence, we help our customers to develop their businesses both economically and ecologically.



Extensive experience

For more than 70 years, Nederman has developed products and solutions to reduce the strain on the environment and protect people from harmful particles, fibres, dust, gas, smoke and oil mist. We have extensive experience in how to create a safe working environment. Our accumulated know-how is easily accessible when you plan a new facility or need to modernize existing operations.



Worldwide presence

Nederman has a strong global presence in both sales and production. We have our own sales companies in 25 countries and distributors in more than 30 countries. Production is performed in 12 countries on five continents. In many countries, we also have a well-established service organization. By offering advanced service with high availability, Nederman helps customers to secure continuous, optimized production.

Nederman is a world-leading environmental technology company. We filter, clean and recycle to create eco-efficient production in demanding industrial surroundings.

For more than 70 years, Nederman has developed, manufactured, and installed products and solutions to reduce the strain on the environment and improve working conditions in numerous industries.

Our products and systems have been ground-breaking in industries such as machining, metal fabrication, mining, automotive, composite manufacturing, food, pharmaceuticals, wood-working, and many others.